

## **Technical Rider - Sound and light requirements Saubartln**

### **PA-System:**

High quality PA system, well suited for venue

Depending on type of event, it should give at least 100 to 110dB(A) at FOH

Recommended systems: d&b, Nexo, JBL, L-acoustics, Adamson, ...

**FOH:** (placed 15-25m in front of stage on riser, centered!):

32 channel digital mixing desk (Yamaha M7 CL32, Yamaha QL-1 or QL-5 recommended)

No Behringer equipment!

### **Monitor:**

32 channel monitor desk (for larger stage only)

Multicore with adequate splitter

min. 7 aux sends

IEM with 7 receivers excluding ear phones

For larger stages drum-fill and side-fills

Experienced monitor technician (for larger stages only)

### **Riser:**

Drums: 2m x 2m x 0,4m

Keyboards: 2m x 2m x 0,4m

FOH, Light: 4m x 3m x 0,5m

### **Light:**

Trussing according to stage size, well suited and certified for load

12x Moving lights min. 575 HMI (heads and scanners can be mixed)

2x 4-Blinder groups

3x ACL Bars (3 groups)

4x DTS Scena 650/1000 Fresnel

1 Hazer (ie. Look Unique, ...)

1 Fogger 1600W (ie. JEM Magnum Pro 2000, ...)

Universal lighting control desk (ie. Licon 1x, GrandMA, ...) - NO PC-only system

### **For further information or any changes please contact:**


Harry Böhaker, Cell phone +43 664 4551856, [office@exit207.com](mailto:office@exit207.com)

## Technical Rider – Channel list SaubartIn

<b>Ch</b>	<b>Instrument</b>	<b>Subcore</b>	<b>Mic/DI</b>	<b>Stand</b>
1	Kick		Beta 91, 52	med. boom
2	Snare		SM 57	med. boom
3	HiHat		C451,...	med. boom
4	Tom 1		Beta 98, e604,..	clamp
5	Tom 2		Beta 98, e604,..	clamp
6	OH L		C414, KM184,...	large boom
7	OH R		C414, KM184,...	large boom
8	Pad L		DI	
9	Pad R		DI	
10	Bass		DI	
11	Lead Guit L		SM57, E606	med. boom
12	Lead Guit R		SM57, E606	med. boom
13	Rhythm Guit		SM57, E606	med. boom
14	Acoustic Guit		DI	
15	Piano L		DI	
16	Piano R		DI	
17	Synth L		DI	
18	Synth R		DI	
19	Talkback Keys		SM57, E606	large boom
20	Keytar		DI	
21	Voc female singer L		SM58 wireless	round straight boom
22	Voc female singer R		SM58 wireless	round straight boom
23	Voc male singer center		SM58 wireless	round straight boom
24	Voc Keys		SM58	large boom
R1	IE1 Git			
R2	IE2 Voc female singer L			
R3	IE3 Voc female singer R			
R4	IE4 Voc male singer center			
R5	IE5 Bass			
R6	IE6 Keys			
R7	IE7 Drums			
R8	Spare			

# Technical Rider – Stageplot Saubartln

9m x 6m x 0,8m (min. 8m x 5m x 0,6m)



 Vocal with boom stand

 230V AC power outlet